U datacamp **Python Basics**

Python Cheat Sheet for Beginners

Learn Python online at <u>www.DataCamp.com</u>

How to use this cheat sheet

Python is the most popular programming language in data science. It is easy to learn and comes with a wide array of powerful libraries for data analysis. This cheat sheet provides beginners and intermediate users a guide to starting using python. Use it to jump-start your journey with python. If you want more detailed Python cheat sheets, check out the following cheat sheets below:



Accessing help and getting object types

1 + 1 # Everything after the hash symbol is ignored by Python help(max) # Display the documentation for the max function type('a') # Get the type of an object - this returns str

Importing packages

Python packages are a collection of useful tools developed by the open-source community. They extend the capabilities of the python language. To install a new package (for example, pandas), you can go to your command prompt and type in pip install pandas. Once a package is installed, you can import it as follows.

import pandas # Import a package without an alias

import pandas as pd # Import a package with an alias from pandas import DataFrame # Import an object from a package

The working directory

The working directory is the default file path that python reads or saves files into. An example of the working directory is "C://file/path". The os library is needed to set and get the working directory.

import os # Import the operating system package os.getcwd() # Get the current directory os.setcwd("new/working/directory") # Set the working directory to a new file path

Operators

Arithmetic operators

102 + 37 # Add two numbers with + 102 - 37 # Subtract a number with -4 * 6 # Multiply two numbers with * 22 / 7 # Divide a number by another with /

22 // 7 # Integer divide a number with // 3 ** 4 # Raise to the power with ** 22 % 7 # Returns 1 # Get the remainder after division with %

Assignment operators

a = 5 # Assign a value to a x[0] = 1 # Change the value of an item in a list

Numeric comparison operators

3	== 3	#	Test	for	equality	/ W:	ith ==	:
3	!= 3	#	Test	for	inequal	ity	with	!=
3	> 1	#	Test	grea	ater thar	w:	ith >	

Logical operators

Logical NOT with ~ ~(2 == 2) (1 != 1) & (1 < 1) # Logical AND with &

- 3 >= 3 # Test greater than or equal to with >= 3 < 4 # Test less than with <
- 3 <= 4 # Test less than or equal to with <=
- (1 >= 1) | (1 < 1) # Logical OR with | (1 != 1) ^ (1 < 1) # Logical XOR with ^

Getting started with lists

A list is an ordered and changeable sequence of elements. It can hold integers, characters, floats, strings, and even objects.

Creating lists

Create lists with [], elements separated by commas x = [1, 3, 2]

List functions and methods

x.sorted(x) # Return a sorted copy of the list e.g., [1,2,3] x.sort() # Sorts the list in-place (replaces x) reversed(x) # Reverse the order of elements in x e.g., [2,3,1] x.reversed() # Reverse the list in-place x.count(2) # Count the number of element 2 in the list

Selecting list elements

Python lists are zero-indexed (the first element has index 0). For ranges, the first element is included but the last is not. # Define the list

x = ['a', 'b', 'c', 'd', 'e'] x[0] # Select the Oth element in the list x[2:] # Select the 2nd to the end x[-1] # Select the last element in the list x[:3] # Select Oth to 3rd (exclusive)

x[1:3] # Select 1st (inclusive) to 3rd (exclusive)

Concatenating lists

Define the x and y lists x + y # Returns [1, 3, 6, 10, 15, 21] x = [1, 3, 6]3 * x # Returns [1, 3, 6, 1, 3, 6, 1, 3, 6] y = [10, 15, 21]

Getting started with dictionaries

A dictionary stores data values in key-value pairs. That is, unlike lists which are indexed by position, dictionaries are indexed by their keys, the names of which must be unique.

Creating dictionaries

Create a dictionary with {} {'a': 1, 'b': 4, 'c': 9}

Dictionary functions and methods

x = {'a': 1, 'b': 2, 'c': 3} # Define the x ditionary x.keys() # Get the keys of a dictionary, returns dict_keys(['a', 'b', 'c']) x.values() # Get the values of a dictionary, returns dict_values([1, 2, 3])

Selecting dictionary elements

x['a'] # 1 # Get a value from a dictionary by specifying the key

NumPy arrays >

NumPy is a python package for scientific computing. It provides multidimensional array objects and efficient operations on them. To import NumPy, you can run this Python code import numpy as np

Creating arrays

Convert a python list to a NumPy array np.array([1, 2, 3]) # Returns array([1, 2, 3]) # Return a sequence from start (inclusive) to end (exclusive) np.arange(1,5) # Returns array([1, 2, 3, 4]) # Return a stepped sequence from start (inclusive) to end (exclusive) np.arange(1,5,2) # Returns array([1, 3]) # Repeat values n times np.repeat([1, 3, 6], 3) # Returns array([1, 1, 1, 3, 3, 3, 6, 6, 6]) # Repeat values n times np.tile([1, 3, 6], 3) # Returns array([1, 3, 6, 1, 3, 6, 1, 3, 6])

Math functions and methods >

All functions take an array as the input.

np.log(x) # Calculate logarithm

np.exp(x) # Calculate exponential

np.max(x) # Get maximum value

np.min(x) # Get minimum value

np.sum(x) # Calculate sum

np.mean(x) # Calculate mean

np.quantile(x, q) # Calculate q-th quantile np.round(x, n) # Round to n decimal places np.var(x) # Calculate variance np.std(x) # Calculate standard deviation

"DataCamp"

Embed a quote in string with the escape character \setminus "He said, \"DataCamp\""

0.0.0

A Frame of Data Tidy, Mine, Analyze It Now You Have Meaning

str[0] # Get the character at a specific position str[0:2] # Get a substring from starting to ending index (exclusive)

Combining and splitting strings

"Data" + "Framed" # Concatenate strings with +, this returns 'DataFramed' 3 * "data " # Repeat strings with *, this returns 'data data data ' "beekeepers".split("e") # Split a string on a delimiter, returns ['b', '', 'k', '', 'p', 'rs']

Mutate strings

Getting started with DataFrames

Pandas is a fast and powerful package for data analysis and manipulation in python. To import the package, you can use import pandas as pd. A pandas DataFrame is a structure that contains two-dimensional data stored as rows and columns. A pandas series is a structure that contains one-dimensional data.

Creating DataFrames

Create a datafr pd.DataFrame({ 'a': [1, 2, 3], 'b': np.array(['c': ['x', 'x', })

Selecting DataFrame Elements

Select a row, column or element from a dataframe. Remember: all positions are counted from zero, not one.

Select the 3rd row df.iloc[<mark>3</mark>] # Select one column by name df['col']

```
# Select 2nd column
df.iloc[:, 2]
```

df.iloc[3, 2]

Manipulating DataFrames

Concatenate DataFrames vertically pd.concat([df, df]) # Get rows matching a condition df.query('logical_condition') # Drop columns by name df.drop(columns=['col_name']) # Rename columns # Add a new column df.assign(temp_f=9 / $5 * df['temp_c'] + 32$)

Getting started with characters and strings

Create a string with double or single quotes

Create multi-line strings with triple quotes

Citation: https://mdsr-book.github.io/haikus.html

```
str = "Jack and Jill" # Define str
str.upper() # Convert a string to uppercase, returns 'JACK AND JILL'
str.lower() # Convert a string to lowercase, returns 'jack and jill'
str.title() # Convert a string to title case, returns 'Jack And Jill'
str.replace("J", "P") # Replaces matches of a substring with another, returns 'Pack and Pill'
```

frame from a dictionary	# Create a dataframe from a list of dictionaries
	pd.DataFrame([
,	{'a': 1, 'b': 4, 'c': 'x'},
[4, 4, 6]),	{'a': 1, 'b': 4, 'c': 'x'},
, 'y']	{'a': 3, 'b': 6, 'c': 'y'}
])

```
# Select multiple columns by names
df[['col1', 'col2']]
```

Select the element in the 3rd row, 2nd column

```
# Concatenate DataFrames horizontally
pd.concat([df,df],axis="columns")
df.rename(columns={"oldname": "newname"})
```

```
df.mean()
# Get summary statistics by column
df.agg(aggregation_function)
# Get unique rows
df.drop_duplicates()
# Sort by values in a column
df.sort_values(by='col_name')
# Get rows with largest values in a column
df.nlargest(n, 'col_name')
```

Calculate the mean of each column